

www.anatol.com

# SCREEN PRINTING PRESS PALLETS

Anatol offers a wide variety of screen printing pallets in various types and sizes to accommodate all your printing needs.



Anatol Equipment Manufacturing Co. 1429 S Shields Dr, Waukegan, IL 60085 USA 1.847.367.9760 sales@anatol.com



**STANDARD FEATURES** 

## Hold-Down Pallet

- 16"x 22" print area
- No need to readjust the press remove the standard pallet and mount the hold-down pallet and continue printing.
- This pallet is intended for printing on products with a slippery lining. It smooths out creases and keeps the surface flat and taut for easy, consistent printing
- The pallet automatically holds down the product during printing without the need for adhesive, speeding up production.
- The pallet is designed in such a way that it cannot be opened during printing, keeping both the operators and the printed products safe.
- Easy opening just a slight lift of the pallet lid is required and the pallet opens fully and independently and fixes itself in the open position.
- Force required for opening and closing can be adjusted as desired.
- The pallet is compatible with Anatol manual and automatic presses.

# Face Mask Pallet

- This pallet is designed for printing on special surfaces that require additional fixation through a hold-down mechanism, like face masks.
- The size and shape of the pallet can be specially made to the customer's specifications, with a maximum print area of 7" x 5".
- This pallet is intended for printing on products with a slippery lining. It
  smooths out creases and keeps the surface flat and taut for easy, consistent printing.
- You can print on one or two products at the same time with this pallet.
- The pallet automatically holds down the product during printing without the need for adhesive, speeding up production.
- The pallet is designed in such a way that it cannot be opened during printing, keeping both the operators and the printed products safe.





Easy opening - just a slight lift of the pallet lid is required and the pallet opens fully and independently and fixes itself in the open position.

• Force required for opening and closing can be adjusted as desired.

For a secure hold-down, rubber plates are placed around the perimeter of the pallet that securely fix and hold the product during printing.

• The pallet is compatible with Anatol manual and automatic presses.

Anatol Equipment Manufacturing Co. 1429 S Shields Dr, Waukegan, IL 60085 USA 1.847.367.9760 sales@anatol.com



#### **STANDARD FEATURES**

## Hold-Down Pallet compatible with PRODIGY

- 8" x 8" or 10" x 12" print area
- No need to readjust the press remove the standard pallet and mount the hold-down pallet and continue printing.

This pallet is intended for printing on products with a slippery lining. It smooths out creases and keeps the surface flat and taut for easy,

- Smooth's out creases and keeps the surface hat and taut for easy, consistent printing.
- The pallet automatically holds down the product during printing without the need for adhesive, speeding up production.
- The pallet is designed in such a way that it cannot be opened during printing, keeping both the operators and the printed products safe.
- Easy opening just a slight lift of the pallet lid is required and the pallet opens fully and independently and fixes itself in the open position.
- Force required for opening and closing can be adjusted as desired.
- The pallet is compatible with Anatol Prodigy small format automatic presses.

### Face Mask Pallet compatible with PRODIGY

- This pallet is designed for printing on special surfaces that require additional fixation through a hold-down mechanism, like face masks.
- The size and shape of the pallet can be specially made to the customer's specifications, with a maximum print area of 10" x 6".
  - This pallet is intended for printing on products with a slippery lining. It smooths out creases and keeps the surface flat and taut for easy,
- smooths out creases and keeps the surface flat and taut for easy consistent printing.
- The pallet automatically holds down the product during printing without the need for adhesive, speeding up production.
- The pallet is designed in such a way that it cannot be opened during printing, keeping both the operators and the printed products safe.
- Easy opening just a slight lift of the pallet lid is required and the pallet opens fully and independently and fixes itself in the open position.
- Force required for opening and closing can be adjusted as desired.
- The pallet is compatible with Anatol Prodigy small format automatic presses.






#### **Double Sleeve Pallet**

- These pallets are designed for printing on sleeves and pant legs.
- You can print on both sleeves or pant legs at the same time.

The pallets are designed for maximum strength and rigidity, ensuring consistent printing along the entire length of the sleeve or pant leg.

No need to readjust the press – remove the standard pallet and mount the sleeve pallet and continue printing.

• The pallets are compatible with Anatol manual and automatic presses.



Anatol Equipment Manufacturing Co. 1429 S Shields Dr, Waukegan, IL 60085 USA 1.847.367.9760 sales@anatol.com

#### **Two-Year Limited Warranty**

Every effort has been made to ensure the accuracy of the promotional information included in this brochre. Specifications are subject to change. Anatol Equipment Manufacturing Co. and its subsidiaries, if any, expressly disclaim any liability for damages, consequential or incidental, resulting from the purchase, transportation, installation, or use of any products based upon information contained within this brochure. Any rights or remedies are limited solely to those provided in writing by Anatol Equipment Manufacturing Co. at the time of sale.